POPULATION ESTIMATES	LON	NG-TERM CARE		LOCAL HEALTH DEPART	MENTS
					Per
Total 2003 Population 16,	50 Community Opti	ions and MA W	lai ver		10, 000
·	as HSRS report	ts costs for	servi ces	Staffing - FTE Number	Population
Population per square mile				Total štaff 7.5 Administrative 1.0	4.4
County ranking in state (1-72)	55	Clients	Costs	Administrative 1.0	0.6
	COP	5	\$166, 020	Public health nurses 1.5	0. 9
Age Female Male To	COP MA Waiver *		,	Other prof. staff 3.0	1.8
0-14 1,500 1,740 3, 15-19 670 700 1,	O CIP1A	11 48	\$479, 577	Techni cal /Paraprof. 1.0	0.6
15-19 670 700 1,	'O CI P1B	48	\$907, 845	Public health nurses 1.5 Other prof. staff 3.0 Technical/Paraprof. 1.0 Support staff 1.0	0.6
20-24 690 630 1,	20 CIP2	8	\$182,606		
25-29 540 490 1,	BO COP-W	77	\$823, 742	Fundi ng	Per capi ta
30-34 450 440	CIP1A CIP1B COCOP-W CO	0	\$4, 141	Fundi ng Total \$195, 783 Local Taxes \$92, 045	\$11. 57
35-39 520 540 1,	60 Brain Injury	1	\$10, 545	Local Taxes \$92,045	\$5.44
40-44 630 640 1,	70 │ Total COP/W√rs	s 150	\$2, 408, 457		
40-44 630 640 1, 45-54 1, 190 1, 200 2, 55-64 840 840 1,	90			LI CENSED ESTABLI SHN	IENTS
55-64 840 840 1,	60 \$208, 870 of	f the above w	<i>ı</i> ai ver costs		
1 65-74 620 540 1	0 were paid as	local match/	overmatch	Type Capacity	Facilities
75-84 570 400	70 using COP fur	nds. This am	nountis i	Bed & Breakfast 37	9
85+ 340 140	not included	in above COP	costs.	Type Capacity Bed & Breakfast 37 Camps 317 Hotels, Motels 555 Tourist Rooming 391	12
Total 8, 550 8, 290 16,				Hotels, Motels 555	33
	* Wai ver cost	ts reported h	iere 📗	Tourist Rooming 391	159
Age Female Male To	al include fede	eral funding.		F0013	5
0-17 1, 880 2, 150 4,	50	Ü		Restaurants	131
18-44 3, 120 3, 030 6,	50	Clients	Costs	Vendi ng	2
45-64 2,030 2,040 4,	50 Eligible and				
45-64 2, 030 2, 040 4, 65+ 1, 530 1, 080 2,	50 Eligible and 10 Waiting 50	200	n/a		
Total 8, 550 8, 290 16,					
	(Family Care r	not provided	in county)	WIC PARTICIPANTS	
Poverty Estimates for 2000					
Estimate (C.I.+	.)				Number
All ages 2,010	l5 ∣ Note: Eligible	e and waiting	clients	Pregnant/Postpartum	323
11.9% (7'	will be phas	sed into the	COP and MA	Infants	329
Ages 0-17 581	00 Waivers as a	avai I abl e.		Infants Children, age 1-4 Total	506
All ages 2, 010 11. 9% (7' Ages 0-17 581 13. 6% (10'				Total	1, 158
				OANOED INCLUENCE (C	.000)
EMPLOYMENT		•		CANCER INCIDENCE (2	(002)
Average wage for jobs covered	Home Health Ac	genci es	1 1	Primary Site	4.4
by unemployment compensation \$25,	Patients	40.000	167	Breast	14
(place of work)	Patients per	10,000 pop.	99	Cervi cal	0
Ann	Al		2	Colorectal	12
Labor Force Estimates Aver	pe Nursing Homes Licensed beds Occupancy rat Residents on	_	3	Lung and Bronchus	14
Olad I I am I albam Fama	Li censed beds	S	289	Prostate	14
Civilian Labor Force 9,	00 Decidents on	te Doc 21	72. 7%	Other sites	36
Number employed 8,	Kesi dents on	υec. 31	_ 213	Total	90
Civilian Labor Force 9, Number employed 8, Number unemployed Unemployment rate	Residents age	e 65 or older opulation	7/	Note: Total a chaum and for	
unemproyment rate	per i, 000 pc	opui a ti on	/0	Note: Totals shown are for	
l	 		 	i nvasi ve cancers onl y.	

			NAT.	41 I TY				
TOTAL LIVE BIRTHS		208	Birth Order	Births	Percent	Marital Status		
TOTAL ELVE BIRTIO		200	First	88	42	of Mother	Bi rths	Percent
Crude Live Birth Rate	e Live Birth Rate 12.3		Second	65	31	Marri ed	127	61
General Fertility Rate 59.3		Thi rd	31	15	Not married	81	39	
General Tertifity Rat	.e	37. 3	Fourth or higher		12	Unknown	0	0
Live births with repo	ortod		Unknown	0	0	UTIKITOWIT	U	U
congenital enemalies	n teu	9 4.3%	ULIKLIOWLI	U	U	Education		
congenital anomalies		9 4.3%				Education of Mother	D: m+ho	Percent
Dolings Turns	D: mtha	Domoont	1at Dramatal Visit	D: m+ha	Donoont		Bi rths	
Delivery Type	BITTINS	Percent	1st Prenatal Visit		Percent	Elementary or le		1
Vagi nal after	4	0	1st trimester	175	84	Some high school	32	15
_previ ous cesarean	4	2	2nd trimester	30	14	High school	74	36
Forceps	_ 1		3rd trimester	2	1	Some college	62	30
Other vagi nal	150		No visits	1	<. 5	College graduate		18
Primary cesarean	33		Unknown	0	0	Unknown	0	0
Repeat cesarean	20	10						
			Prenatal Visits		Percent	Smoking Status		
Birthweight	Bi rths 2 7 199 0	Percent	No visits	1	<. 5	of Mother	Bi rths	Percent
<1,500 gm	2	1. 0	1-4	3	1	Smoker	69	33
1,500-2,499 gm	7	3. 4	5-9	45	22	Nonsmoker	139	67
2,500+ gm	199	95. 7	10-12	75	36	Unknown	0	0
Unknown	0	0	13+	83	40			
			Unknown	1	<. 5			
			Low Birthweight		Tri mest	ter of First Prenata		
			(under 2,500 gm)	1st Tr	imester	2nd Trimester	Other/	'Unknown
Race/Ethni ci ty	Births P		(under 2,500 gm) Births Percent		imester Percent	2nd Trimester Births Percent	Other/	'Unknown Percent
White	167	80	(under 2,500 gm)	1st Tr Births 146	imester	2nd Trimester	Other/	
White	167	80 0	(under 2,500 gm) Births Percent 7 4.2	Bi rths 146	i mester Percent 87	2nd Trimester Births Percent 19 11	Other/ Births	Percent 1
White	167 0 37	80 0 18	(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Births	Percent
White Black/Afr. American American Indian	167 0 37	80 0	(under 2,500 gm) Births Percent 7 4.2	Bi rths 146	i mester Percent 87	2nd Trimester Births Percent 19 11	Other/ Births	Percent 1
Whi te Bl ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no	167 0 37 3 0	80 0 18 1 0	(under 2,500 gm) Births Percent 7 4.2	Bi rths 146 26 *	i mester Percent 87	2nd Trimester Births Percent 19 11	Other/ Births	Percent 1
White Black/Afr. American American Indian	167 0 37	80 0 18 1	(under 2,500 gm) Births Percent 7 4.2	Bi rths 146	i mester Percent 87	2nd Trimester Births Percent 19 11	Other/ Births	Percent 1
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	167 0 37 3 0	80 0 18 1 0	(under 2,500 gm) Births Percent 7 4.2 2 5.4 *	Bi rths 146 26 *	i mester Percent 87 70	2nd Trimester Births Percent 19 11	Other/Births 2 . 1	Percent 1
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	167 0 37 3 0 1	80 0 18 1 0 <. 5	(under 2,500 gm) Births Percent 7 4.2 . 2 5.4 *	Bi rths 146 26	i mester Percent 87 70	2nd Trimester Births Percent 19 11 10 27 *	Other/Births 2	Percent 1 . 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	167 0 37 3 0 1	80 0 18 1 0 <.5	(under 2,500 gm) Births Percent 7 4.2 . 2 5.4 *	Bi rths 146 26	i mester Percent 87 . 70	2nd Trimester Births Percent 19 11 10 27 * ter of First Prenata 2nd Trimester	Other/Births 2 . 1 *	Percent 1 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother	167 0 37 3 0 1	80 0 18 1 0 <. 5	(under 2,500 gm) Births Percent 7 4.2 . 2 5.4 *	Bi rths 146 26	i mester Percent 87 70	2nd Trimester Births Percent 19 11 10 27 *	Other/Births 2 . 1 *	Percent 1 . 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15	167 0 37 3 0 1 Fe Bi rths	80 0 18 1 0 <.5 	(under 2,500 gm) Births Percent 7 4.2 2 5.4 tow Birthweight (under 2,500 gm) Births Percent	Bi rths 146 26	i mester Percent 87 . 70	2nd Trimester Births Percent 19 11 10 27 ter of First Prenata 2nd Trimester Births Percent	Other/Births 2 . 1 *	Percent 1 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17	167 0 37 3 0 1 Fe Bi rths 1 4	80 0 18 1 0 <.5 	(under 2,500 gm) Births Percent 7 4.2 2 5.4 tow Birthweight (under 2,500 gm) Births Percent	Bi rths 146 26	i mester Percent 87 . 70	2nd Trimester Births Percent 19 11 10 27 ter of First Prenata 2nd Trimester Births Percent	Other/Births 2 . 1 *	Percent 1 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19	167 0 37 3 0 1 	80 0 18 1 0 < . 5 	(under 2,500 gm) Births Percent 7 4.2 2 5.4 * * Low Birthweight (under 2,500 gm) Births Percent * 2 8.7	Bi rths 146 26	i mester Percent 87 . 70	2nd Trimester Births Percent 19 11 10 27 ter of First Prenata 2nd Trimester Births Percent 5 22	Other/ Bi rths 2 1 *	Percent 1 3 . 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24	167 0 37 3 0 1 	80 0 18 1 0 <.5 	(under 2,500 gm) Births Percent 7 4.2 2 5.4 * * Low Birthweight (under 2,500 gm) Births Percent * 2 8.7 3 4.5	Bi rths 146 26	i mester Percent 87 . 70	2nd Trimester Births Percent 19 11	Other/Births 2 . 1 *	Percent 1 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	167 0 37 3 0 1 	80 0 18 1 0 < . 5 	(under 2,500 gm) Births Percent 7 4.2 2 5.4 tow Birthweight (under 2,500 gm) Births Percent 2 8.7 3 4.5 2 3.6	Bi rths 146 26	i mester Percent 87 . 70	2nd Trimester Births Percent 19 11 10 27 ter of First Prenata 2nd Trimester Births Percent 5 22 8 12 7 13	Other/ Bi rths 2 1 *	Percent 1 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24	167 0 37 3 0 1 	80 0 18 1 0 <.5 	(under 2,500 gm) Births Percent 7 4.2 2 5.4 * * Low Birthweight (under 2,500 gm) Births Percent * 2 8.7 3 4.5	Bi rths 146 26	i mester Percent 87 . 70	2nd Trimester Births Percent 19 11	Other/ Bi rths 2 1 *	Percent 1 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	167 0 37 3 0 1 	80 0 18 1 0 <.5 	(under 2,500 gm) Births Percent 7 4.2 2 5.4 Low Birthweight (under 2,500 gm) Births Percent 2 8.7 3 4.5 2 3.6 1 3.0	Bi rths 146	i mester Percent 87 . 70	2nd Trimester Births Percent 19 11	Other/ Bi rths 2 1 *	Percent 1 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	167 0 37 3 0 1 	80 0 18 1 0 <.5 	(under 2,500 gm) Births Percent 7	Bi rths 146 26	i mester Percent 87 . 70	2nd Trimester Births Percent 19 11	Other/ Bi rths 2 1 *	Percent 1 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	167 0 37 3 0 1 	80 0 18 1 0 <.5 	(under 2,500 gm) Births Percent 7 4.2 2 5.4 Low Birthweight (under 2,500 gm) Births Percent 2 8.7 3 4.5 2 3.6 1 3.0	Bi rths 146	i mester Percent 87 . 70	2nd Trimester Births Percent 19 11	Other/ Bi rths 2 1 *	Percent 1 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	167 0 37 3 0 1 	80 0 18 1 0 <.5 	(under 2,500 gm) Births Percent 7	Bi rths 146	i mester Percent 87 . 70	2nd Trimester Births Percent 19 11	Other/Births 2 . 1 * . * . I Visit Other/Births * . 2 1	Percent 1 3

MORBI DI TY			MOI	RTALLTY	
REPORTED CASES OF SELECTED DISEASES*	Note: Death rates (neonatal, and Perinatal and	(except ir I postneor I fetal de	nfant) are p natal death eath rates a	per 100,000 population. rates are per 1,000 li are per 1,000 live bir culated for fewer than	Infant, ive births. ths plus
Di sease Campyl obacter Enteritis Gi ardi asi s Hepatitis Type A Hepatitis Type B** Hepatitis NANB/C Legi onnai re's Lyme Measl es Meni ngitis, Aseptic Meni ngitis, Bacterial Mumps Pertussis Sal monel I osi s Shi gel I osi s	TOTAL DEATHS Crude Death Ra Age 1-4 5-14 15-19 20-34 35-54 55-64 65-74 75-84 85+	Deaths	Rate	Sel ected Underlying Cause Heart Disease (total) Ischemic heart disea Cancer (total) Trachea/Bronchus/Lui Colorectal Female Breast Cerebrovascular Disea Lower Resp. Disease Pneumonia & Influenza Accidents Motor vehicle Diabetes Infect./Parasitic Disease	ase 34 202 26 154 ng 8 . 3 . 1 .* ase 17 . 11 . a 7 . 4 . 14 . 5. 4 .
Tubercul osi s 0 * 2003 provi si onal data. ** Includes all posi ti ve HBsAg test results.	Infant Mortality Total Infant Neonatal Postneonatal Unknown	Deaths 2 2	Rate	* Based on female pop ALCOHOL AND DRUG ABUS OR CONTRIBUTING CA	2 oul ati on. SE AS UNDERLYING AUSE OF DEATH
Sexually Transmitted Disease Chlamydia Trachomatis 17 Genital Herpes <5 Gonorrhea <5 Syphilis 0	Race of Mother White Black Hispanic Laotian/Hmong Other/Unknown	2		Al cohol Other Drugs Both Mentioned * Includes tobacco us MOTOR VEHION	CLE CRASHES
Children in Grades K-12 by Compliance Level Compliant 3,165 Non-compliant 22 Percent Compliant 99.3	Bi rthwei ght <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown Peri natal Mortal i ty Total Peri natal Neonatal Fetal	Deaths	Rate	Type of Motor Vehicle Crash Total Crashes Alcohol-Related With Citation: For OWl For Speeding Motorcyclist Bicyclist Pedestrian	on residence. Persons Persons Injured Killed 91 6 11 4

				 2003 HOSP 	ITALIZATIONS					
	Per	Average		Charge			Per	Average		Charge
DI SEASE /	1, 000	Stay	Average		DI SEASE /		1,000	Staÿ	Average	
AGE GROUP Number	Pop	(Days)	Charge	Capi ta	AGE GROUP	Number		(Days)	Charge	Capi ta
	-	(=) - /	3.				[-	()-/	3.	
Injury-Related: All			Al cohol -Rel ated							
Total 158	9. 4	4 6	\$10, 829	\$102	Total	93	5. 5	6. 4	\$6, 637	\$37
<18 12	7. т	4. 0	Ψ10, 027	Ψ102	18-44	44	7. 2	6. 5	\$5, 838	\$42
18-44 25	4. 1	3. 0	\$6, 962	\$28	45-64	33	8. 1	6. 9	\$6, 911	\$56
45-64 38	9. 4		\$16,006	\$150	Pneumonia and In		0. 1	0. /	ΨΟ, 711	ΨΟΟ
65+ 83	31. 9	5. 0		\$342	Total	92	5. 5	4. 2	\$7, 187	\$39
Injury: Hip Fracture	31.9	3. 2	\$10, 729	\$342	<18	92 16				
	1 1	/ 1	¢14 770	\$21	45-64		•	•	•	•
	1. 4		\$14,779			12	22. 7	٠. ٥	ΦO 400	Ф101
65+ 24	9. 2	6. I	\$14, 779	\$136	65+	59	22. 7	5. 0	\$8, 423	\$191
Injury: Poisonings					Cerebrovascul ar				*10 705	407
Total 15		•	•	•	Total	58	3. 4	4. 5	\$10, 785	\$37
18-44 4					45-64	12				
					65+	45	17. 3		\$10, 448	\$181
Psychi atri c					Chronic Obstruct	ive Pulm	onary D	i sease		
Ťotal 207	12. 3	5. 1	\$5, 510	\$68	Total	64	3. 8	4. 3	\$7, 695	\$29
<18 43	10. 7	5. 3	\$4, 768	\$51	<18	6				
18-44 94	15. 3	4. 1	\$4, 903	\$7 5	18-44	5				
45-64 50	12. 3	6. 7	\$6, 704	\$83	45-64	19			_	
65+ 20	7. 7	5. 2	\$6, 970	\$54	65+	34	13. 1	5. 1	\$8, 379	\$109
		0	40, 7.0	ΨΦ.	Drug-Rel ated	٠.		.	+0/0//	4.07
Coronary Heart Disease					Total	25	1. 5	6.8	\$5, 716	\$8
Total 85	5. 0	3 9	\$15, 527	\$78	18-44	14			ψ5, 710	ΨΟ
45-64 18	5. 0	3. /	Ψ10, 027	Ψ70	10 44		•	•	•	•
65+ 65	25. 0	, , ,	\$17, 521	\$437	Total Hospitaliz	rati one				
05+	25. 0	4. 5	Φ17, 3 21	Ψ437	Total	2, 341	139. 0	4. 0	\$7, 870	¢1 004
Malignant Neoplasms (Ca	neore).	A I I			<18	346	85. 7	2. 4	\$2, 611	\$224
Mai i grianti Neopi asiis (Ca	3. 4	ALL	¢1/ /10	\$57	< 10			2. 4 3. 2	ΦZ, OII	\$224 \$567
Total 58 18-44 7 45-64 11 65+ 40			\$16, 612	\$5 <i>1</i>	18-44 45-64 65+	611	99. 3		\$5, 710	
18-44 7	•	•	•	•	45-64	448	110. 5	4. 4	\$9,510	\$1,051
45-64 11					65+	936	359. 5	4. 8	\$10, 439	\$3, 753
	15. 4	6.2	\$15, 897	\$244					ON Oak	
Neoplasms: Female Bre	east (ra	tes for	remale po	opulation)	PRE	. NEN LABEE	. HOSPI I	ALI ZA II (
Total 2					Total	382	22. 7	3.8	\$6, 712	\$152
Neoplasms: Colo-recta	al				<18	31	7. 7	1. 5	\$2, 489	\$19
Total 17					18-44 45-64	50	8. 1	2. 5	\$4, 221	\$34
65+ 15					45-64	79	19. 5	3. 5	\$7, 371	\$144
Neoplasms: Lung					65+	222	85. 3	4. 4	\$7,629	\$651
Total 3			•	•						
Di abetes					* Hospitalizations ambulatory care car	for cond	li ti ons	where ti	imely and	effecti ve
Total 30	1. 8	4. 7	\$8, 355	\$15	ambulatory care can	reduce	the lik	el i hood	of hospi	tal i zati on.
65+ 14									1	
• •	•	•	-	•						
					·					